Chromatographia Vol. 13, 1980 Contents

Vol. 13, No. 1, 1980

Editorial 3

Originals

The Preparation and Evaluation of Superior Bonded Phases for Reversed-Phase, High-Performance Liquid Chromatography 5
M. B. Evans / A. D. Dale / C. J. Little

Synthesis of a Nonpolar, Chemically Bonded Stationary Phase with Low Residual Hydroxyl Group Content 11
J. L. M. van de Venne / J. P. M. Rindt / G. J. M. M. Coenen / C. A. M. G. Cramers

Liquid Chromatography Separation of Organic Acidic Compounds 18
P. Jandera / H. Engelhardt

A Simple Technique for Selection of Complementary Chromatographic Methods by Correlation of Data 24
T. Dale / W. E. Court

Relationship Between the Gas Chromatographic Behaviour and the Molecular Structure of Hydrocarbon Samples and Various Stationary Phases Part I. Correlation of Retention Data and Thermodynamic Functions with Chemical Structure 29
V. M. Nabivach / A. V. Kirilenko

Gas Chromatographic Determination of Impurities in Nitromethane 35
M. Jarosiewicz / J. Szychlinski

A Selective Ion-Exchange Separation and Spectrophotometric Determination of Traces of Copper in Silicate Rocks 40
R. Kuroda / T. Seki

Book Review 43

Announcements 44

Note to Authors 47

New Products 49

Green Pages

Selection of Carrier Gas Velocity in the Analysis of a Multicomponent Sample (in German) 61
L. S. Ettre

Vol. 13, No. 2, 1980

Editorial 71

Originals

Generalized Equations to Evaluate the Gas Hold-up Time of Chromatographic Systems 73
L. S. Ettre

The Determination of Surface Polarity of Bismuth-Molybdenum Oxidation Catalysts by Gas Chromatography 85
M. Zdrazil / K. F. Scott

Relationship Between the Gas Chromatographic Behaviour and the Molecular Structure of Hydrocarbon Samples and Various Stationary Phases. Part II. Correlation Between the Retention Index, Physicochemical Properties and Molecular Structure 93
V. M. Nabivach / A. V. Kirilenko

Ion-Exchange Chromatography of the Product Obtained in a Reaction of Ethylene Diamine with Urea 101
M. Jaworski

Determination of Methoxsalen in Dosage Forms by High-Performance Liquid Chromatography 105
A. H. Hikal / A.-R. M. Morad / S. El-Houfy

Chromatographic Investigations of Adsorption of Some Aromatic Compounds on Aluminium Oxide and Silica Gel from Solutions 109
G. Chojnacka / J. Ościk / J. K. Różyło

Thin-Layer Chromatography of Metal Ions on Bonded Stationary Phases 114
K. T. DenBleyker / T. R. Sweet

Short Communication

Thin-Layer Chromatography of Inorganic Ions Phosphate on Cellulose in Acetic Acid and in Acetic Acid–Ammonium Acetate Media 119
T. Shimizu / A. Miyazaki / I. Saitoh

Announcements 122

Note to Authors 124

New Products 126

Vol. 13, No. 3, 1980

Originals

Drug Metabolism Studies Using HPLC 137
T. R. Marten / R. J. Ruane

Biological Generation of Tritiated Vitamin D_3 Metabolites and Their Purification by High-Performance Liquid Chromatography 141
T. L. Clemens / L. J. Fraher / J. L. H. O'Riordan / C. J. Little / A. Dale

Reversed-Phase Systems for the Separation of Pentapeptides by High-Performance Liquid Chromatography 145
J. F. M. Kinkel / J. C. Kraak

Isomeric Structure of Styrene-Acrylonitrile and Styrene-Methylacrylate Copolymer Pyrolysis Products 151
M. Blazsó / K. Ujszászi / E. Jakab

Investigation of the Association of Higher Fatty Alcohols on a Chromatographic Paper 157
T. Kowalska / J. Sliwiok / H. T. Flakus

Gas-Liquid Chromatographic Determination of Ethanol in "Alcohol-Free" Beverages and Fruit Juices 161
A. M. Morad / A. H. Hikal / R. Buchanin

Production and Properties of Polyacenaphtylene II. Analytical and Preparative Separation of Oligo-acenaphtylen by Gel Permeation Chromatography 164
J. Springer / J. Schmelzer / T. Zeplichal

A Proposal for the Application of Ligand-Exchange Chromatography on Thin-Layers 167
M. L. Antonelli / A. Marino / A. Messina / B. M. Petronio

Identification of N-Acetyl-α-Aminoisobutyric Acid After Selective Trifluoroacetolysis of Alamethicin and Related Peptide Antibiotics 170
H. Brückner / G. Jung

Extraction Chromatography of Common Anions in Liquid-Liquid Anion Exchange Systems. Separation of Halides by Column Chromatography 175
S. Przeszlakowski / R. Kocjan

Gas Chromatography in Qualitative Analysis. Part 16. An Investigation of the Oxidation of Reference Stationary Phases Used in Column Characterization by the Rohrschneider and McReynolds Methods 177
M. B. Evans / M. J. Osborn

Short Communication

Thin-Layer Chromatographic Separation of Some Closely Related Olefinic Benzo- and Naphthofurans 183
V. K. Mahesh / R. Sharma / M. Maheshwari

Announcements 185

Note to Authors 187

New Products 189

Vol. 13, No. 4, 1980

Editorial 201

Originals

Possible Amounts of Oxygen in the Carrier Gas as Compared to Sample Amounts 203
L. S. Ettre

Determination of Hydrochloric Acid in Organic Solutions by Gas Chromatography 207
J. Petrúj / S. Godard / J. Marchal

Gas Chromatographic Determination of the Configuration of Isovaline in Antimoebin, Samarosporin (Emerimicin IV), Stilbellin, Suzukacillins and Trichotoxins 209
H. Brückner / G. J. Nicholson / G. Jung / K. Kruse / W. A. König

Theoretical Calculation of the Optimum Separation in Thin-Layer Chromatography 215
J. K. Różyło / G. Chojnacka / I. Malinowska

Chromatographic Behaviour of Metal Ions on Tin (IV) and Titanium (IV) Antimonate Papers 219
R. P. S. Rajput / N. S. Seth

Characterization and Evaluation of Material Used for the Recovery of Organic Compounds from Water 223
F. Cannavacciuolo / G. Goretti / A. Langanà / B. M. Petronio / L. Zoccolillo

Chromatographic and Adsorptive Properties of Mercury Sulfide 226
N. M. Djordjević / M. M. Kopečni / S. K. Milonjić

Determination of Aprotinin by High-Performance Liquid Chromatography 231
F. Nachtmann / K. Gstrein

New Ester Phase with Nematic Working Range for GLC 234
V. Hlozek / H. Gutwillinger

Short Communications

Derivatization of Substances, Separated on Thin-Layer Plates, by Means of an Automatic Spraying Device 238
F. Kreuzig

HPLC Determination of Piperine in Pepper and in Pepper Extracts 241
M. Verzele / S. Qureshi

Book Review 244

Announcement 245

New Products 245

Vol.
13
198

Vol. 13, No. 5, 1980

Originals

Two-Dimensional Separations and Behaviour of Alkaloids of Various Polarities on Unmodified Silica Gel in Polar and Very Polar Neutral or Acidic Mobile Phases 259
R. L. Munier / S. Meunier

Resolution of Enantiomers and Isotropic Compositions by Selective Complexation Gas Chromatography on Metal Complexes 263
V. Schurig

Relative Peak Broadening and Pore Size Distribution of the Stationary Phase in Exclusion Chromatography 271
W. Werner / I. Halász

Computer Simulation of the Chromatographic Process 273
J. Å. Jönsson

Donor-Acceptor Complex Chromatography Preparation of a Chemically Bonded Acceptor-Ligand and its Chromatographic Investigation 277
H. Hemetsberger / H. Klar / H. Ricken

Cation-Exchange Chromatography of Some Metal Ions Using Aqueous NH_4SCN-Organic Solvent Mixtures 287
J. Akhter / H. Misra / A. K. Ghose / A. K. Dey

Derivatisation of Sympathomimetics with Primary Amino Groups on Thin-Layer Plates by Spotting the Sample Spots with Fluorescamine 291
R. Wintersteiger / G. Gübitz / A. Hartinger

Analytical Utility of 2-Halopyridinium Salts, Part III Paper Electrophoretic Characterization of Alcohols as 2-Alkoxy-1-Methylpyridinium p-Toluene-sulphonates 295
E. Bald / B. Mazurkiewicz

Book Review 298

Announcements 299

New Products 300

Vol. 13, No. 6, 1980

Originals

Glass Capillary Gas Chromatography of Highly Polar Solutes Like Diols, Fatty Acids and Amines Deactivation of Fused Silica and Pretreated Alkali Glass Support Surfaces 321
G. Schomburg / H. Husmann / H. Behlau

The Mathematical Modelling of a Production Scale Sequential Continuous Chromatographic Refiner Unit 334
P. E. Barker / D. M. Bell / R. E. Deeble

High-Performance Liquid Chromatography of α-Amino Acids on a Polystyrene Resin with Fixed Ligands of the Type (R)-N′, N′-Dibenzyl-1, 2-Propanediamine 339
V. A. Davankov / A. A. Kurganov

Chromatographic Analysis of Mycotoxins on Thin-Layers of Rice Starch 341
D. Mišković

Scope, Limitations and Mechanism of Nucleotide Separation by Thin-Layer Chromatography with Strong Cation-Exchange Resin Containing Layers 344
J. Tomasz

Column-Induced Selectivity in Separation of Polynuclear Aromatic Hydrocarbons by Reversed-Phase, High-Performance Liquid Chromatography 349
A. L. Colmsjö / J. C. MacDonald

Chromatographic Behaviour of Closely Related Aromatic Amines on Phenol-Impregnated Thin-Layers 352
S. P. Srivastava / L. S. Chauhan

Three Column Systems for the Analysis of Short-Chain Alcohols, Ether-Alcohols and Aldehydes in Cleansing Agents (in German) 356
W. Winkle / M. Köhler

Palmer Chromatography Award to Dr. Leslie S. Ettre 364

Announcement 365

New Products 365

Vol. 13, No. 7, 1980

Editorial 377

Originals

Separation and Positive Identification of Compounds in Complex Sample Mixtures Using On-Line, LC-UV/VIS and LC-MS, Direct Coupling Techniques 379
R. Schuster

Sugar Analysis by GC, HPLC, TLC and an Enzymatic Method; a Comparison (in German) 386
M. Ugrinovits

The Scope for Clean-up and Concentration Procedures in On-Line Operation with HPLC (in German) 395
H. Hulpke / U. Werthmann

Application of Preparative HPLC in the Chemical Analysis of Food Ingredients 403
R. K. D. Tiebach / M. Schramm

Residue Analysis by Multicolumn Liquid Chromatography – Herbicides in Cereals 408
J. F. K. Huber / I. Fogy / C. Fioresi

Isolation of Compounds from Complex Sample Mixtures for Identification Purposes – The Semi-Preparative Separation of Natural Products 413
K.-P. Hupe / H. H. Lauer / K. Zech

Application of Column Liquid Chromatography (HPLC) to Special Problems in Food Chemistry A Laboratory Note 421
U. Pechanek / G. Blaicher / W. Pfannhauser / H. Woidich

HPLC-Separation of cis and trans Monounsaturated Fatty Acids 428
R. Battaglia / D. Fröhlich

Application of an HPLC Amine Modifier for Sugar Analysis in Food Chemistry (in German) 432
K. Aitzetmüller

Quantitative Determination of Several Mono- and Oligosaccharides in Food Products by Means of High-Pressure Liquid Chromatography Replacement of the Toxic Eluent 'Acetonitrile/Water' by a Mixture of Harmless Solvents 437
H. Müller / V. Siepe

Problems Encountered with the Routine Application of HPLC to Analysis of Carbamate Pesticides 438
G. Blaicher / W. Pfannhauser / H. Woidich

Analysis of the Fusariotoxins Zearalenone and Vomitoxin (Deoxynocalenol) in Human Foods and Animal Feeds by High-Performance Liquid Chromatography (HPLC) 447
H. Schweighardt / J. Böhm / A. M. Abdelhamid / J. Leibetseder / M. Schuh / E. Glawischnig

Announcements 451

New Products 457

Vol. 13, No. 8, 1980

Originals

Separation of Nucleoside 5'-Phosphordiamidates by Thin-Layer Chromatography with Strong Cation-Exchange Resin Containing Layers 469
J. Tomasz

Quasi-Column Chromatography of Barbituric Acid Derivatives. II. Separation on Non-Polar Adsorbents Using Binary Water-Organic Solvent Mixtures as the Mobile Phase 472
L. Ekiert / Z. Grodzińska-Zachwieja / J. Bojarski

Optimisation of the TLC-Separation of Digitalis purpurea Extracts (in German) 479
A. Janßen / D. Sopczak

Reversed-Phase Liquid Chromatography of Aromatic Sulfonic and Carboxylic Acids Using Inorganic Electrolyte Solutions as the Mobile Phase 485
P. Jandera / J. Churáček / J. Bartosová

Retention of Indan and Indan-Type Hydrocarbons on Graphitized Thermal Carbon Black (in German) 493
E. V. Kalashnikova / A. V. Kiselev / K. D. Shcherbakova / S. D. Vasileva

Influence of Ionic Potential on the Chromatographic Behaviour of Some Alkaline Earth Halides 497
J. L. Guiñón / J. Garcia-Antón

An Automatic PNA Analyser for the under 200°C Fraction Contained in a Higher Boiling Product 500
H. Boer / P. van Arkel / W. J. Boersma

Short Communication

Gas Chromatographic Analysis of Traces of Hydrogen Sulfide in Hydrogen 513
H. J. Rath / J. Wimmer

Book Reviews 515

Announcements 517

New Products 521

Vol. 13, No. 9, 1980

Originals

Thin-Layer Chromatography of tris(1,10-Phenanthroline) Iron(II) and tris(2,2'-Bipyridine) Iron(II) on Sephadex G Gels 531
M. Shibukawa / N. Ohta

HPTLC on Inert Pre-Coated of Cellulose of Silica 50000 538
H. E. Hauck / H. Halpaap

Preparation of Complex Carbon-Silica Adsorbents with Different Properties 549
R. Leboda

The Selective Abstraction of Aliphatic Aldehydes by Gas Chromatographic Stationary Phases Containing N,N'-Disubstituted-p-Phenylenediamines 555
M. B. Evans

Extension of the Usable Concentration Range in Densitometry (Reflectance, Transmittance and Simultaneous Determination) by a New Empirical Curve Fitting Method (in German) 557
M. Müller

The Signal of the Helium Detector – Its Shape and Polarity 567
E. Broś / J. Lasa

Short Communications

A Rapid Separation of Citrus Carotenoids by Thin-Layer Chromatography 572
Jeana Gross

Nucleosides as Stationary Phases for the Separation of Xylenol Isomers by Gas-Liquid Chromatography 574
A. Ono

Announcements 576

New Products 582

Vol.
13
198

Vol. 13, No. 10, 1980

Editorial 597

Originals

Influence of Intermolecular Interaction with the Eluent on the Retention and Selectivity in Liquid Chromatography 599
A. V. Kiselev / L. V. Tarasova / Ya. I. Yashin

Hydrocarbon Group-Type Analysis of Coal Liquids by High-Performance Liquid Chromatography 603
K.-G. Liphard

Simultaneous Determination of Cr(III) and Cr(VI) in Water by Reversed-Phase HPLC, after Chelating with Sodium Diethyldithiocarbamate 607
T. Tande / T. Torgrimsen

Influences of Support, Stationary Phase Polarity and Loading in Gas-Liquid Chromatographic Retention 611
F. Vernon / M. Rayanakorn

Trace Analysis of N-Formylmorpholine in Hydrocarbons and Water by Gas-Liquid Chromatography 617
A. H. Tameesh / T. M. Sarkisian / K. R. Hameed

MBAMT, a New Locating and Chelating Agent in TLC and Ring Colorimetric Determination of Cu(II), Co(II), Ni(II), Pd(II), Pt(IV) and Rh(III) 619
K. N. Johri / M. Johri

Separation of Aliphatic and Aromatic Amines by Thin-Layer Chromatography Using Silica Gel Plates 623
B. M. Petronio / M. V. Russo

Ion-Exchange Selectivities of Amorphous and Anatase-Types Hydrous Titanium Dioxides and the Possible Separation of Bivalent Transition Metal Ions 626
M. Abe / M. Tsuji / S. P. Qureshi / H. Uchihoshi

Short Communication

High-Performance Liquid Chromatography of 8-Hydroxyquinoline Chelates of Aluminium and Cobalt(III) 633
C. S. Hambali / P. R. Haddad

The 1980 M. S. Tswett Chromatography Awards 635

Announcement 636

New Products 636

Green Pages

Preparation of Glass Capillary Columns 651
G. Alexander

Vol. 13, No. 11, 1980

Editorial 663

Originals

Automatic Data Processing in Chromatography – A Mixed Blessing 665
P. B. Stockwell / I. Telford

Regularities in the Retention of Isomeric Aromatic Hydrocarbons in Liquid Chromatography. Part I. Analysis of Polymethyl- and Monoalkyl Benzenes and Polynuclear Aromatic Hydrocarbons on Hydroxylated Silica Gel 669
A. N. Ageev / A. V. Kiselev / Ya. I. Yashin

Application of On-column Concentration of Deproteinized Serum to the HPLC-Determination of Anticonvulsants 673
J. C. Kraak / F. Smedes / J. W. A. Meijer

Separation of Unmodified α-Amino Acid Enantiomers by Reverse Phase HPLC 677
V. A. Davankov / A. S. Bochkov / A. A. Kurganov / P. Roumeliotis / K. K. Unger

Gas Chromatography on 10 μm Silica Particles 686
R. Dandeneau / S. Hawkes

Two-Dimensional Separations and Behaviour of Rauwolfia, Corynanthe and Pseudocinchona Alkaloids on Unmodified Silica Gel 693
P. Le Xuan / R. L. Munier / S. Meunier

A New Method for the Enrichment of Head Space Components Using Wine as an Example (in German) 698
A. Rapp / W. Knipser

The Chemical Nature of Adsorption Centers in Modified Carbon-Silica Adsorbents Prepared by the Pyrolysis of Alcohols 703
R. Leboda

Stability Constants of Phthalate Complexes of Copper(II), Nickel(II), Zinc(II), Cobalt(II), Uranyl(II) and Thorium(VI) by Paper Electrophoresis 709
R. K. P. Singh / R. Khelawan / K. L. Yadava

Book Review 712

Announcements 713

New Products 714

Vol. 13, No. 12, 1980

Originals

Non-Ideal Effects in Linear Chromatography 729
J. Å. Jönsson

Liquid Chromatography on Unmodified and Modified Spheron Gels. I. Nucleosides, Bases and Related Compounds 734
P. Jandera / J. Churáček / J. Čáslavský / M. Vojáková

Miniaturization of a Standard Liquid Chromatographic System 741
J. Hermansson

Physico-Chemical Applications of Liquid Chromatography. I. Investigation of the Adsorption of Cardiac Glycosides from Water-Ethanol Solutions on Silanized Silica 745
V. Ya. Davydov / A. V. Kiselev / Yu. M. Sapojnikov

Separation Behaviours of Xylenol Isomers by Gas Chromatography with Helps of Hydrogen Bonding 752
A. Ono

Gas Chromatographic – Mass Spectrometric Identification of Alkylcyclohexanes and Cyclohexenes 755
J. Albaigés / X. Guardino

Short Communication

Thin-Layer Densitometric Determination of Individual Dihydroxyanthraquinone Derivatives 763
P. P. Rai

Announcements 765

New Products 765

Green Pages

Fluorimetric Reaction Detectors for High-Performance Liquid Chromatography. Part I. Selection of Chemical Reactions (in German) 779
G. Schwedt / E. Reh

Vol.
13
1980

Chromatographia Vol. 13, 1980 Author Index

Abdelhamid, A. M. 447
Abe, M. 626
Ageev, A. N. 669
Aitzetmüller, K. 432
Akhter, J. 287
Albaigés, J. 755
Alexander, G. 651
Antonelli, M. L. 167
van Arkel, P. 500

Bald, E. 295
Barker, P. E. 334
Bartosová, J. 485
Battaglia, R. 428
Behlau, H. 321
Bell, D. M. 334
Blaicher, G. 421, 438
Blazsó, M. 151
Bochkov, A. S. 677
Boer, H. 500
Boersma, W. J. 500
Böhm, J. 447
Bojarski, J. 472
Boross, L. 516
Braithwaite, A. 299
Brós, E. 567
Brückner, H. 170, 209
Buchanin, R. 161

Cannavacciuolo, F. 223
Caslavský, J. 734
Chauhan, L. S. 352
Chojnacka, G. 109, 215
Churáček, J. 485, 734
Clemens, T. L. 141
Coenen, G. J. M. M. 11
Colinsjö, A. L. 349
Conder, J. R. 712
Court, W. E. 24
Cramers, C. A. M. G. 11

Dale, A. D. 5, 141
Dale, T. 24
Dandeneau, R. 686
Davankov, V. A. 339, 677
Davydov, V. Ya. 745
Deeble R. E. 334
Den Bleyker, K. T. 114
Dey, A. K. 287
Djordjević, N. M. 226

Ekiert, L. 472
El-Houfy, S. 105
Engelhardt, H. 18
Ettre, L. S. 61, 73
Evans, M. B. 5, 177, 203, 555

Fioresi, C. 408
Flakus, H. T. 157
Fogy, I. 408
Fraker, L. J. 141
Fröhlich, D. 428

Garcia-Antón, J. 497
Ghose, A. K. 287
Glawischning, E. 447
Godard, S. 207
Goretti, G. 223
Grodzínska-Zachwieja, Z. 472
Gross, J. 572
Gstrein, K. 231
Guardino, X. 755
Gübitz, G. 291
Guiñón, J. L. 497
Gutwillinger, H. 234

Haddad, P. R. 633
Halász, I. 271
Halpaap, H. 538
Hambali, C. S. 633
Hameed, K. R. 617
Hartinger, A. 291
Hauck, H. E. 538
Hawkes, S. 686
Hemetsberger, H. 277
Hermansson, J. 741
Hikal, A. H. 105, 161
Hlozek, V. 234
Horváth, Cs. 244, 712
Huber, J. F. K. 408
Hulpke, H. 395
Hupe, K.-P. 413
Husmann, H. 321

Jakab, E. 151
Jandera, P. 18, 485, 734
Janssen, A. 479
Jarosiewicz, M. 35
Jaworski, M. 101
Johnstone, R. A. W. 299
Johri, K. N. 619
Johri, M. 619
Jönsson, J. Å. 273, 723
Jung, G. 170, 209

Kaiser, R. E. 244
Kalashnikova, E. V. 493
Khelawan, R. 709
Kinkel, J. F. M. 145
Kirchner, J. G. 43
Kirilenko, A. V. 29, 93
Kiselev, A. V. 493, 599, 669, 745
Klar, H. 277
Knipser, W. 698
Kocjan, R. 175
Köhler, M. 356
König, W. A. 209
Kopečni, M. M. 226
Kowalska, T. 157
Kraak, J. C. 145, 673
Kremmer, T. 516
Kreuzig, F. 238
Kruse, K. 209
Kurganov, A. A. 339, 677
Kuroda, R. 40

Langanà, A. 223
Lasa, J. 567
Lauer, H. H. 413
Leboda, R. 549, 703
Leibetseder, J. 447
Le Xuan, P. 693
Liphard, K.-G. 603
Little, C. J. 5, 141

MacDonald, J. C. 349
Makesh, V. K. 183
Makeshwari, M. 183
Malinowska, I. 215
Marchal, J. 207
Marino, A. 167
Marten, T. M. 137
Mazurkiewicz, B. 295
Meijer, J. W. A. 673
Messina, A. 167
Meunier, S. 259, 693
Milonjić, S. K. 226
Mišković, D. 341
Misra, H. 287
Miyazaki, A. 119
Morad, A.-R. M. 105, 161
Müller, H. 437
Müller, M. 557
Munier, R. L. 259, 693

Nabivach, V. M. 29, 93
Nachtmann, F. 231
Nicholson, G. J. 209

Oelrich, E. 244
Ohta, N. 531
Ono, A. 574, 752
Osborn, M. J. 177
Ościk, J. 109
O'Riordan, J. L. H. 141

Pechanek, U. 421
Petrůj, J. 207
Petronio, B. M. 167, 223, 623
Pfannhauser, W. 421, 438
Przeszlakowski, S. 175

Qureshi, S. 241
Qureshi, S. P. 626

Rai, P. P. 763
Rajput, R. P. S. 219
Rapp, A. 698
Rath, H. J. 513
Rayanakorn, M. 611
Reh, E. 779
Rice, C. B. F. 43, 516
Ricken, H. 277
Rindt, J. P. M. 11
Roumelitis, P. 677
Różyło, J. K. 109, 215
Ruane, R. J. 137
Russo, M. V. 623

Saitoh, I. 119
Sapojnikov, Yu. M. 745
Sarkisian, T. M. 617
Schmelzer, J. 164
Schomburg, G. 321
Schramm, M. 403
Schuh, M. 447
Schurig, V. 263
Schuster, R. 379
Schwedt, G. 779
Schweighardt, H. 447
Scott, K. F. 85
Seki, T. 40
Seth N. S. 219
Sharma, R. 183
Shcherbakova, K. D. 493
Shibukawa, M. 531
Shimizu T. 119
Siepe, V. 437
Signeur, A. V. 515
Singh, R. K. P. 709
Śliwiok, J. 157
Smedes, F. 673
Sopczak, D. 479
Springer, J. 164
Srivastava, S. P. 352
Stock, R. 515
Stockwell, P. B. 665
Sweet, T. R. 114
Szychlinski, J. 35

Tameesh, A. H. 617
Tande, T. 607
Tarasova, L. V. 599
Telford, I. 665
Tiebach, R. K. D. 403
Tomasz, J. 345, 469
Torgrimsen, T. 607
Tsuji, M. 626
Uchihoshi, H. 626
Ugrinovits M. 386
Ujszászi, K. 151
Unger, K. K. 677

Van de Venne, J. L. M. 11
Vasileva, S. D. 493
Vernon, F. 611
Verzele, M. 241
Vojáková, M. 734

Werner, W. 271
Werthmann, U. 395
Wimmer, J. 513
Winkle, W. 356
Wintersteiger, R. 291
Woidich, H. 421, 438

Yadava, K. L. 709
Yashin, Ya. I. 599, 669
Young, C. L. 712

Zdrazil, M. 85
Zech, K. 413
Zeplichal, T. 164
Zoccolillo, L. 223

Vol.
13
1980

Chromatographia Vol. 13, 1980 Subject Index

Acetic acid media, for TLC 119
Acetonitrile-H_2O, replacement of 437
Activity coefficients 29
Adenosine, for GLC 574
Adsorption, by GSC 226
– , from solution 745
– , in TLC 109
– , irreversible 321
– of hydrocarbons, by GSC 85
Alamethicin 170
Alcohol-free beverages 161
Algorithm 273
Aliphatic aldehydes, GLC of 555
Alizarin equivalent 763
Alkali glass, deactivation of 321
Alkaline earth halides, paper chromatography of 497
Alkaloids, TLC of 259
Alkoxy esters 295
2-Alkoxy-l-methylpyridinium p-toluene sulphonates 295
Alkylpolysiloxane columns 321
Alumina, specific surface 109
– , TLC measurements on 109
Aluminium, by HPLC 633
Amine antioxidants 555
– modifier, for HPLC 432
Ammonium thiocyanate, aqueous 287
Anthracene derivatives, HPLC of 603
Anticonvulsants, HPLC of 673
Aprotinin, HPLC of 231
Aromatic amines, TLC of 353
– hydrocarbons, LC of 669
– – , isomers of 669
Aromatics 500
Automatic analyser 500
– analysis 665
– data processing 665

Benzofurans, TLC of 183
Beverages, alcohol-free 161
Binary mobile phases 215
μ-Bondapak C_{18} 105
Bonded phases, evaluation of 5
– – , in TLC 114
Bovine pancreatic trypsin inhibitor 231
Bismuth-molybdenum oxidation catalysts 85
Breakthrough volume 223

Capacity ratio, temperature dependence 234
Carbamate pesticides, GLC of 438
– – , HPLC of 438
Carbohydrate analysis 386
Carbon deposits, pyrolysis of 703
– layers, on silica 549
– number, of homologues 73
– -silica adsorbents 549, 703
Carbowax 20M columns 321
Cardiac glycosides, adsorption of 745
– – , HPLC of 745
Carrier gas, oxygen in 203
Catalyst polarity 85
Cation-exchange, dynamic 145
– – , of copper 40
Cereals, HPLC of 408
Chelex 100 167
Chemical potentials 85
– structure 29
Chiral aliphatic oxiranes, GLC of 263
– phases, in GLC 209
Chlorinated solvents, GLC of 207
Chromatographic process, algorithm for 273
– refiner unit 334
Chromium, HPLC of 607
Cleansing agents, HPLC of 357
CM-cellulose, TLC on 531
Coal liquids, HPLC of 603
Cobalt, by HPLC 633
Column efficiency 273
– – , in GSC 686
Comparison of chromatographic methods 386
Complementary chromatography systems 24
Complexation GC 263
Complex chromatography 277
Computer simulation 273
– – , of peaks 723
Concentration, of wine headspace 698
– , on-column in HPLC 673
Continuous chromatography, production scale 334
Copper II acetate solution for elution 677
– – complexes 339
– , by cation-exchange 40
Coupling conditions 779
Curve fitting method, for TLC 557

Data correlation 24
Deactivation, of alkali glass 321
– – fused silica 321
DEGS, in SCOT column 70
Densitometry in TLC 763
– , usable concentration range 557
Deproteination 137
Deproteinised serum 673
Derivatization, in TLC 238
Deuterated ethylenes, GLC of 263
Diethyldithiocarbamates, HPLC of 607
Digitalis purpurea, TLC of 479
Dihydroxy anthraquinone derivatives, TLC of 763
– cholecalciferol metabolites 141
Dimethyl sulphoxide, in paper chromatography 219
Distribution coefficients, ion-exchange 287
Dowex 50W 101
Dragendorff's reagent 295
Drug metabolism 137

Elution peaks, skew in 723
– – , width of 723
Enantioselectivity 677
Enrichment by absorption 513
Ethylen-4,4'-diphenyl bis (4-methoxybenzoate) 234
Ethylene oxide 207
– urea, cation-exchange of 101
Extraction chromatography, of halide ions 175

Fatty alcohols, association of 157
– – , paper chromatography of 157
Fixion 50-X8, cation-exchanger 345
– – , for TLC 469
Flow-cell, and resolution 741
Fluorescamine, in TLC derivatisation 291
– , pentapeptide reaction 145
Fluorimetric reaction detectors 779
Fluorosilicone oil, in GC 686
Frontal analysis 223
Fruit juices, ethanol in 161
Fused silica, deactivation of 321

Gas chromatography – see GC
– – literature, book review 515
– hold-up, calculation of 73
– -liquid chromatography – see GLC
– -solid chromatography – see GSC
GC 73, 203
– , adsorption measurements by 85
– , He detector 567
– , in sugar analysis 386
– , minicomputer systems for 665
GC-MS, of alkylcyclohexanes 755
– – cyclohexenes 755
GC, of enantiomers 263
– – isotopes 263
– , quantitative 177
– , silicone phases for 177
Glass capillary GC 170, 209
– – – , of acids 321
– – – – amines 321
– – – – diols 321
– , HCL treatment of 321
GLC 24
– , chiral phases in 209
– , loading in 234
– , nematic phases for 234
– , of aliphatic aldehydes 555
– – alkanes 73
– – carbamate pesticides 438
– – chlorinated solvents 207
– – ethanol 161
– – HCl in solution 207
– – H_2S in H_2 513
– – hydrocarbons 29, 93
– – N-formylmorpholine 617
– – nitroalkanes 35
– – nitromethane 35
– – xylenol isomers 574, 752
– , on N-isopropyl-N′-phenyl-p-phenylene-diamine 555
– , supports 611
GPC 271
– , of oligoacenaphthen 164
– , peak broadening in 271
Graphitized thermal carbon black 493
GSC, of hydrocarbons 226
– – Indan-type hydrocarbons 493
– – mercury sulphide 226
– , on graphitized carbon black 493
– – silica microparticles 686
Guanosine, for GLC 574

Halide ions, ion-exchange of 175
2-Halopyridinium salts 295
HCl in organic solvents, by GC 207
Head space enrichment 698
Heat of solution 29
Helium detector, signal of 567
Herbicides, HPLC of 408
High-performance liquid chromatography – see HPLC
High-performance TLC – see HPTLC
HPLC 18, 141
– , by complex formation 277
– , clean-up procedures 395
– , column-switching in 395, 408
– , concentration in 395
– , detectors for 779
– , reversed-phase 5, 11, 105, 137, 145, 350, 485, 677, 779
– , in sugar analysis 386
– , microprocessor controlled 395
– , miniaturisation of 741
– , multicolumn 408
– , multidimensional 408
– -MS, direct coupling 379, 413
– -NMR 413
– , of aflatoxins 403
– – alcohols 357
– – aldehydes 357
– – amino acids 421
– – α-amino-acid enantiomers 677
– – – – acids 339
– – anticonvulsants 673
– – aprotinin 231
– – aromatic carboxylic acids 485
– – – hydrocarbons 669
– – – sulphonic acids 485
– – biogenic amines 421
– – carbamate pesticides 438
– – carboxylic acids 18
– – cardiac glycosides 745
– – cereals 408
– – *cis* and *trans* fatty acids 428
– – coal liquids 603
– – Cr III and Cr VI 607
– – ether alcohols 357
– – flavanoids 379
– – fusariotoxins 447
– – herbicides 408
– – 8-hydroxyquinoline chelates 633
– – maltodextrins 432
– – methoxsalen 105
– – monosaccharides 437
– – natural products 413
– – nucleosides 734
– – oligosaccharides 432, 437
– – organic acids 18
– – piperine 241
– – polynuclear aromatic hydrocarbons 350
– – steroids 779
– – sugars 421, 432
– – sulphonamides 741
– – sulphonic acids 18
– – β-tocopherol 403
– – vomitoxin 447
– – vitamin D 403
– – zearalenone 447
– , on modified Spheron gels 734
– – silanized silica 745
– – unmodified Spheron gels 734
– , preparative 403
– , residue analysis 408
– , semi-preparative 413
– -UV/VIS, direct coupling 379, 413
HPTLC, on microcrystalline cellulose 538
– – silica 50000 538
Hydrocarbon groups in coal liquids 603
Hydrocarbons, GSC of 226
– , physicochemical properties 93
Hydrogen bonding, in GLC 752
– – – LC 669
8-Hydroxyquinoline chelates 633
Hyoscyamine, in French beans 421

Vol. 13 1980

Identification, in HPLC 379
Inert layer for TLC 538
Injection, repeated 164
Inosine, for GLC 574
Intermolecular forces 29
– interactions in LC 599
Intramolecular interaction 599
Ion-exchange chromatography 101, 175, 287, 734
– , of copper 40
– , on paper 219
– – titania 626
– resins, TLC on 345
Ionic compounds, influence on retention 18
– potential, in paper chromatography 497
Ion-selective electrodes 175
Iron complexes, TLC of 531
Isotope separation, on metal complexes 263
Isovaline, configuration by GLC 209

Kováts retention indices 755

LC, of polar benzene derivatives 599
– , retention in 599
– , selectivity in 599
– , with Sephadex LH20 141
Ligand-exchange 339
– chromatography 167, 677
Linear chromatography, non-ideal effects in 723

McReynolds polarity values 177
Mass spectrometry, book review 299
Mathematical model, continuous chromatography 334
Matrix diagrams 24
MBAMT, TLC locating agent 619
Mechanized spraying 238
Mercury sulphide, GSC of 226
Metal complexes, GC on 263
Methoxsalen, HPLC of 105
Micro-columns, for HPLC 741
– flow-cell 741
Microprocessor controlled HPLC 395
Microprocessors, introduction of 665
Mini computer systems, for GC 665
Mobile phase, inorganic electrolytes 485
– phases, binary 215
Molecular structure, of hydrocarbons 93
Monounsaturated fatty acids, HPLC of 428
Mycotoxins, HPLC of 447
– , TLC of 342

N-acetyl-α-aminoisobutyric acid, TLC of 170
N-alkyl-L-hydroxyproline stationary phase 677
Naphthenes 500
Naphthofurans, TLC of 183
Nematic stationary phase, for GLC 234
N-Formylmorpholine, GLC of 617
– , in hydrocarbons 617
– , in water 617
Nitrated phenyl silica gel in HPLC 241
– sulphonated silica gel in HPLC 241
Nitroalkanes, GLC of 35
Nitromethane, GLC of 35
N,N′-disubstituted-p-phenylenediamines 555
Non-linear isotherms 273
Non-toxic mobile phase 437
Nucleoside 5′-phosphordiamidates, TLC of 469
Nucleosides as stationary phases in GC 574
– , HPLC of 734
Nucleotides, TLC of 345

Octylchlorosilanes 11
Oligoacenaphthen, GPC of 164
On-column concentration 673
Optically active resins 339
Optimum separation, in TLC 215
Organic pollutants in water 223
OV-17 209
Oxidation, of hydrocarbons 177
Oxygen, in carrier gas 203

Paper chromatography 219
– – , of alkaline earths 497
– – – fatty alcohols 157
– electrophoresis, of alcohol derivatives 295
– – – phthalate complexes 709
Paraffins 500
Patuline, in apple juice 421
Pentapeptides, HPLC of 145
– , and fluorescamine 145
Peptide analysis, by HPLC 231
Pharmaceutical preparations 291
Phenol impregnation, of thin layers 353
Phthalate complexes, stability constants of 709
Phthalic anhydride liquid phase 513
Piperine, in pepper by HPLC 241
Plasma, analysis of 137
Plate model 334
Polar solutes 321
Polarity 177
– , of He detector signal 567
Polyacenaphthylene, oligomers of 164
Polyaromatic hydrocarbons 223
Polyethers, as GLC stationary phases 752
Polyols, as GLC stationary phases 752
Polypeptide antibiotics 170
Pore size distribution, in GPC 271
Preparative GPC 164
– HPLC 403
Primary amines, fluorescamine derivatives 291
– and secondary alcohols 295
Pyrolysis GC 151
– of alcohols 549

Quasi-column chromatography 472

Racemates, resolution by HPLC 677
Racemic amino acids 339
Reflectance, in TLC 557
Regression equations 93
Retention 723
– data correlation 29
– index 93
– indices 493, 611
– – , of pyrolysis products 151
– volumes 493, 611
– – , specific 177
Reversed phase TLC 472
R_f values 219, 472, 497
Rice starch, TLC on 342
Ring colorimetry 619
R_M values 215, 219, 472, 497, 531
Rohrschneider polarity values 177

Sample stability 203
Scopolamine, in French beans 421
SCOT column, fatty acid methyl esters 70
SE-30, in SCOT column 70
Selective oxidation 85
Selectivity coefficients, on titania 627
Selectivity, column-induced 350
– , temperature dependence 234

Separation factors, in TLC 259
Sephadex G gels 531
– LH 20 141
Serum, deproteinised 673
Signal of He detector, polarity 567
– – – – , shape 567
Silanized silica gel for LC 599
Silica gel 18
– – , bonded phases on 5, 11
– – , carbon coated 549
– – , HPLC on 438
– – , in LC 669
– – – TLC 472, 479
– – , pore volume of 11
– – , silanized for LC 599
– – , specific surface 11, 109
– – , thin layers 183
– – , TLC measurements on 109
– – – of amines on 623
– – – – carotenoids 572
– – , tri-n-octylamine coated 175
– – , unmodified for TLC 259, 693
– , low area porous 538
– , octyl modified 145, 673
Silicates, copper in 40
Siloxane bonded phases 5, 11
Silver nitrate columns in HPLC 428
Solvent impurities 295
– effects, in HPLC 277
Sodium dodecylsulphate 145
Spheron gel, HPLC on 734
Spraying, mechanized 238
Specific retention volume 29, 223
Stability constants, of phthalate complexes 709
Stationary phase bleeding 234
– – polarity 611
Steroids, HPLC of 779
μ-Styragel 164
Styrene-acrylonitrile, pyrolysis of 151
– copolymers, isomers of 151
– – , pyrolysis of 151
– -methacrylate, pyrolysis of 151
Sympathomimetics, derivatives of 291
Sulphonamides, HPLC of 741
Surface properties, by GSC 549
– – , of carbon-silica 703
Sugar analysis, by GC 386
– – – HPLC 386
– – – TLC 386
Supercooling, of stationary phase 234
Suzukacillin 170, 209

Temperature effects, in HPLC 277
Thin-layer chromatography – see TLC
Tin (IV) antimonate paper 219
Titania, ion-exchange separations on 626
Titanium (IV) antimonate paper 219
TLC 24
– , adsorption measurements by 109
– , bonded phases in 114
– , book review 43
– , derivatisation in 238
– evaluation of chromatograms 557
– , in sugar analysis 386
– , of aliphatic amines 623
– – alkaloids 259
– – aromatic amines 353, 623
– – – compounds 109
– – barbituric acid derivatives 472
– – benzofurans 183
– – citrus carotenoids 572
TLC, of Corynanthe alkaloids 693
– – digitalis purpurea extracts 479
– – dihydroxyanthraquinone derivatives 763
– – Fe complexes 531
– – glycosides 479
– – inorganic ions 119
– – metal ions 114, 167, 619
– – N-acetyl-α-aminoisobutyric acid 170
– – naphthofurans 183
– – nucleoside-5′-phosphordiamidates 469
– – nucleotides 345
– – pseudocinchona alkaloids 693
– – Rauwolfia alkaloids 693
– – sympathomimetics 291
– , on cation-exchangers 345, 469
– – cellulose phosphate 119
– – CM-cellulose 531
– – impregnated layers 353
– – magnesia 572
– – paraffin coated silica 472
– – silanised silica 472
– – silica gel 479
– – – – unmodified 693
– , optimum separation in 215
– , two dimensional 259, 693
– , with ligand exchangers 167
Transmittance, in TLC 557
Trichotoxin 170, 209
Trinitrofluorenone bonded phase 277
Tritiated vitamin D_3 141
β-Tocopherol, HPLC of 403

Urea resins 101

Vacancy chromatography 567
Vario-KS tank 479
Vitamin D, HPLC of 403
– D_3, tritiated 141

Water, organic pollutants in 223
Wine bouquet, terpinoid components of 698
– , headspace analysis of 698

Xylenol isomers, GLC of 752
– – , hydrogen bonding of 752

Vol. 13 1980

Chromatographia Vol. 13, 1980 Key Words

Acetate eluent 119
Adsorption 109, 226
Adsorption from solutions 745
$AgNO_3$ columns 428
Alamethicin 170
Alcohols 295, 357
Alcohol-free beverages 161
Aldehydes 357
Aliphatic aldehydes 555
– amines 623
Alkaline earth halides 497
Alkaloids 259
Alkoxy groups of esters 295
Alkylcyclohexanes 755
Aluminium 633
Amine antioxidants 555
Amino acids 339, 421
Analytical and preparative GPC 164
Anticonvulsants 673
Aqueous ammonium thiocyanate 287
Aromatic amines 353, 623
Aromatic carboxylic acids 18
Aromatics 500
Aromatic sulfonic acids 485
Association 157
Automatic analysis 500, 665

Barbiturates 472
Benzofurans 183
Binary mobile phase mixtures 215
Biogenic amines 421
Bismuth oxidation 85
Bonded-phases 114
Bovine pancreatic trypsin inhibitor 231
Break-through volume 223

Capacity ratio, temperature dependence 234
Capillary columns, glass 651
Carbohydrate analysis 386
Carbon-adsorption centres 703
Carbonized adsorbents 549
Carbon-silica adsorbents 549
– – – modification 703
Carboxylic acids 485
Cardioactive glycosides 479, 745
Carotenoid pigments 572
Carrier gas purity 203
– – velocity 61
Cation-exchange 345, 469
Cellulose layers 538
Cellulose phosphate 119
Cereals 408
Chemically bonded phases 277
– – stationary phase 11
Chiral phases 209
Chlorinated solvents 207
Chromatographic process 273
– properties 703
– separation 626
– theory 109
Chromatography under mild conditions 259
Chromium III 607
Chromium VI 607
Citrus 572
Cleansing agents 357
Coal liquids 603
Cobalt 633
Column characterization 177
– liquid chromatography 421
– preparation 651
– -switching techniques 395, 408
Comparison of methods 386
Complementary chromatographic systems 24
Computer simulation 273, 723
Configuration 209
Copper 40
Correlation 93
– value 24
Coupling conditions 779

Data processing 665
Deactivation PSD polysiloxane degradation 321
Dead time 73
Deproteination 137
Derivatization 238
Digitalis purpurea 479
Distribution coefficients 287
Donor-acceptor ligands 277

Enantiometers 263
Enrichment 513
Ether alcohols 357
Ethylene oxide 207
Ethylene urea 101
Evaluation 5
Extraction, BTX 617
– column chromatography 175

Fatty acids 428
– alcohols 157
Fluordensitometry 291
Fluorescamine 291
Fluorimetry 779
Food products 437
Frontal analysis 223
Fused silica 321

Gas adsorption chromatography 493
Gas hold-up time 73
Gas-liquid chromatography 161
– – – equipment 334
Gas loop 513
Gas-solid chromatography 85, 226
GC 35, 61, 73, 177, 203, 207, 209, 263, 386, 555, 567, 574, 651, 686, 752, 755
Gel-permeation chromatography 271

Gel Spheron 734
Glass capillary GC 321
GLC 24, 617
– supports 611
Graphitized thermal carbon black 493

2-Halopyridium salts 295
Headspace sampling 698
Helium detector 567
Herbicides 408
High accuracy 238
High-voltage electrophoresis 295
HPLC 105, 137, 141, 145, 238, 241, 277, 350, 357, 395, 421, 428, 432, 603, 633, 673, 741, 779
HPLC Amine Modifier I [72413–78–6] 432
– methods 447
– of flavonoids 379
– quantitative 437
HPTLC 538
Hydrocarbon type groups 603
Hydrogen bonding 752
– chloride 207
– sulfide in hydrogen 513
Hydrous titanium dioxide ion-exchanger 626
8-Hydroxyquinolales 633

Identification of compounds in natural products 379
– – natural products 413
Impregnated plates 353
Indan 493
– -type hydrocarbons 493
Influence of surface chemistry and eluent nature on retention 669
Influence of temperature on optimum velocity 61
Infra-red spectroscopy 11
Inorganic ion 119
Intermolecular forces 29
– interaction with polar eluent 599
Internal standard 137
Ion-exchange 219, 287, 626
– – chromatography 40, 101, 175, 734
Isolation of pure compounds 413
Isomeric structure 151
Isotropic composition 263
Isovaline 209

Kováts retention indices 755

LC of polar benzene derivatives 599
Ligand-exchange chromatography 167, 339, 677
Linear chromatography 723
Liquid chromatography 101, 231, 339, 386, 734, 745
– – of aromatic hydrocarbons 669
Loading 611
Locating and chelating agent 619

Magnesium oxide 572
Maltodextrins 432
Mass spectrometry 755
Mathematical model 334
Matrices 24
MBAMT 619
Median most accurate measure 723
Metal complexes 263
Metal ion analysis 114
Methoxsalen, determination of 105
Mercury sulfide 226
Micro-columns 741
0.67 mm^3 micro flow-cell 741
Micropacked columns in GC 686
Microparticles 686
Microprocessors 665
Microprocessor controlled HPLC 395
Miniaturization 741
Molecular structure 29
– – and liquid chromatography 669
Multicolumn LC 408
Multidimensional chromatography 408
Mycotoxins 342, 447

N-acetyl-α-aminoisobutyric acid 170
Naphthenes 500
Naphthofurans 183
Nematic ester phase for GC 234
N-Formylmorpholine 617
Nitroalkanes 35
Nitromethane 35
Non-toxic eluent 437
Normal phase (NH_2) 603
Nucleoside 5′-phosphordiamidates 469
Nucleosides 469, 734
Nucleotides 345

Octylchlorosilanes 11
Off-line HPLC-MS, UV, NMR 413
Oligosaccharides 432
On-column abstraction 555
On-column concentration 673
On-line HPLC-UV/VIS and HPLC-MS 379
Optimization 61
Optically active resins 339
Optimum separation 215
Organic pollutants 223
Oxidation 177

Paper 24
Paper chromatography 157, 219, 497
– electrophoresis 709
Paraffins 500
Peak broadening 271
Pentapeptides 145
Peptide analysis 231
Peptide antibiotics 170
Pepper 240
Phenols 18
Physicochemical constants of hydrocarbons 93
Piperine 240
Plasma 137
Plate theory 273
Polarity 611
Polar solutes 321
Polyacenaphthylene 164
Polyaromatic hydrocarbons 350
Polyols and polyethers as stationary phase 752
Pore size distribution 271
Positional isomers 428
ppm level 513
Preparation 5
Preparative liquid chromatography 403
Pretreated alkali glass 321
Primary amines 291
Production scale 334
Pyrolysis GC 151
Pyrolysis of alcohols 549, 703

Vol. 13 1980

Quantitative evaluation 557

Racemates resolution 339
– – , amino acids 677
Reaction detector 779
Reagents 238
Reflectance 557
Regression equations 93
Renal hydroxylase enzymes 141
Repeated sample injection 164
Residual polarity 11
Residue analysis 408
Retention index 93, 151, 611
– of hydrocarbons 29
– and selectivity in LC 599
– ; skew and plate number comparison 723
Reversed-phase 145, 350, 673, 734
– – HPLC 607
– – ion-pair 18
– – LC 485
– – TLC 472
R_F-structure correlations 472
Rice starch as adsorbent 342
Ring colorimetric metal ions determination 619

Saccharides 437
Sample stability 203
Selective oxidation 85
– trifluoroacetolysis 170
Selectivity, temperature dependence 234
Semi-preparative HPLC 413
Separation 119
– of aflatoxins 403
– – β-tocopherol 403
– – halide ions 175
– – vitamin D 403
Sephadex 141
– G gels 531
Serum 673
Silica gel 572
– – 'G' thin-layers 619
– – modification 549, 703
– – unmodified 259, 693
Silica layers 538
Silicate rock 40
Siloxane bonded phases 5
Sn (IV) antimonate paper 219
Sodium diethyldithiocarbamate 607
Solvent effects 277
Specific retention volumes 223
Spectro-photometry 40
Stability constants 709
Stationary phases 177
Steroids 779
Structural increments 93
Styrene copolymers 151
Sugars 421, 432
Sugar derivatives as liquid phases 574
Sulphonamides 741
Sulphonic acids 18
Supercooling, extreme 234
Surface polarity 85
Suzukacillin 170
Sympathomimetics 291

Thermal detector 101
Thermodynamics 226
Ti (IV) antimonate paper 219
TLC 24, 109, 114, 119, 167, 183, 215, 259, 342, 345, 353, 386, 469, 479, 531, 538, 557, 572, 619
– mild conditions 693
Trace analysis 40, 617
– determination 207
Transition metal complexes 709
Transmittance 557
Trinitrofluorenone 277
Tritrated dehydrocychole-calciferol metabolites 141
Tris (1,10-phenanthroline) iron (II) 531
Tris (2,2′-bipyridine) iron (II) 531
Two dimensional separations 259, 693

Vario-KS tank 479
Volatiles 698
Vomitoxin (Deoxynivalenol) 447

Wine aroma 698
Working range, extreme 234

Xylenol isomers 574, 752

Zearalenone 447